

Product: Asso Poker Table

PLAYING SURFACE

Padded top covered in microfiber in all Pantone colors



METAL PARTS

Steel

Cat. A



POLISHED CHROME METAL

Cat. B



POLISHED GOLD METAL



BRUSHED BRONZE METAL



POLISHED BLACK NICKEL

WOOD PARTS

Lacquered Wood



MATT

15 Gloss


Elegant and never out of style.



SOFT TOUCH

0 Gloss top coat

Very soft and pleasant to touch.



GLOSSY

100 Glossy top coat

Great luminosity and refinement.

AVAILABLE COLORS ON THE NEXT PAGES




WOOD PARTS

Lacquered Wood

MATT



BIANCO



AVORIO



BISCOTTI




HAZELNUT



DESERT TAUPE





LIGHT BROWN





DARK BROWN

SOFT TOUCH



GLOSSY




WOOD PARTS

Lacquered Wood

MATT



PERLA



LILAC GREY



TORTORA



DARK TORTORA



ANTRACITE




NERO




WINE

SOFT TOUCH



GLOSSY



CONE-SHAPE LEG (DELUXE VERSION)

PEARL LEATHER

Cat. Soft

Origin: Bulls

Provenance: United Kingdom, France, South Germany

Thickness: 3/64

Grain appearance: shiny and pearly aspect, fine grain leather

Bending resistance: >50.000 cycles
method UNI EN IS 5402-1

Traction resistance: >16 N/mm² method
UNI EN ISO 3376

Flame retardant

Water resistant

Leather protection kit available




PE16




PE15



PE07



PE05



PE02



PE33



PE31

CONE-SHAPE LEG (DELUXE VERSION)

TOP GRAIN LEATHER Cat. Soft

Origin: Bulls

Provenance: United
Kingdom, France,
South Germany

Thickness: 3/64

Grain appearance:
smooth aspect, fine
grain leather


Bending resistance:
>50.000 cycles
method UNI EN IS
5402-1

Traction resistance:
>16 N/mm² method
UNI EN ISO 3376

Flame retardant

Water resistant

Leather protection kit
available



GA01 CAT. SOFT



GA04 CAT. SOFT



GA03 CAT. SOFT



GA05 CAT. SOFT



GA08 CAT. SOFT



GA06 CAT. SOFT



BRE667 CAT. SOFT



GA07 CAT. SOFT



GA36 CAT. SOFT



GA02 CAT. SOFT



GA57 CAT. SOFT



GA09 CAT. SOFT



GA10 CAT. SOFT



GA15 CAT. SOFT



GA13 CAT. SOFT



GA14 CAT. SOFT



GA33 CAT. SOFT



GA37 CAT. SOFT




GA39 CAT. SOFT



GA38 CAT. SOFT



BRE620 CAT. SOFT




BRE669 CAT. SOFT



GA21 CAT. SOFT



GA22 CAT. SOFT




GA23 CAT. SOFT




GA24 CAT. SOFT




GA11 CAT. SOFT




GA12 CAT. SOFT




GA16 CAT. SOFT



GA17 CAT. SOFT



GA18 CAT. SOFT



GA19 CAT. SOFT

CONE-SHAPE LEG (DELUXE VERSION)

TOP GRAIN LEATHER Cat. Soft

Origin: Bulls

Provenance: United
Kingdom, France,
South Germany

Thickness: 3/64

Grain appearance:
smooth aspect, fine
grain leather

Bending resistance:
>50.000 cycles
method UNI EN IS
5402-1

Traction resistance:
>16 N/mm² method
UNI EN ISO 3376

Flame retardant

Water resistant

Leather protection kit
available



GA20 CAT. SOFT



BRE604 CAT. SOFT



GA35 CAT. SOFT



GA34 CAT. SOFT



GA59 CAT. SOFT



GA53 CAT. SOFT



BRE608



GA52 CAT. SOFT



GA29 CAT. SOFT



GA30 CAT. SOFT



BRE668 CAT. SOFT



GA31 CAT. SOFT



GA32 CAT. SOFT



GA28 CAT. SOFT



GA27 CAT. SOFT



GA26 CAT. SOFT



GA25 CAT. SOFT



GA58 CAT. SOFT



GA40 CAT. SOFT



BRE614 CAT. SOFT



GA51 CAT. SOFT



GA54 CAT. SOFT



GA56 CAT. SOFT




GA55 CAT. SOFT



BRE679 CAT. SOFT



BRE699 CAT. SOFT



BRE606 CAT. SOFT



BRE623 CAT. SOFT