

## 118



### *Description*

Suspension lamp with a flexible coaxial cable suspension system in a cluster configuration. The sculptural cable is a flexible suspension system that enables pendants to nestle in close-knit groups or to spread out in a wider field, allowing each piece to be perceived individually. Lamps and power supplies are included.

Glass has a memory: it holds onto shapes it was exposed to while still molten. 118's dozens of tiny feather-like forms in opal glass arise from this uncanny ability. When lit from within, the interior complexities of 118 come into even sharper detail.


The undulating interior layer of each 118 carries the ghost of the steel cage used in its formation. Air blown into its core pushes the molten glass into the recesses of the cage. Gravity and heat coax these unpredictable, multifarious tendrils to elongate, following the initial shape the steel has set for it. That cage, sheared off in a final step, is cleaned and used to seed another 118.

Designed by Bocci.

\* For more specifications, please refer to the "Finishes & Materials" PDF


## Dimensions

### Adjustable length



up to 118"1/8 standard  
up to 1200"3/4 custom

### Non-Adjustable length




up to 118"1/8 standard  
up to 1200"3/4 custom

## Models available:

- . 118.1 Sculptural cable Single clear pendant,  $\text{Ø}4\frac{5}{8}$  x  $1\frac{1}{4}$ "H round canopy.
- . 118.1 deep Sculptural cable Single clear pendant,  $\text{Ø}4\frac{5}{8}$  x  $1\frac{5}{8}$ "H round canopy.
- . 118.1m\* Sculptural cable Single clear pendant,  $\text{Ø}1\frac{1}{8}$  round canopy.
- . 118.1mi\* Sculptural cable Single clear pendant,  $\text{Ø}3\frac{1}{2}$  round canopy.
- . 118.1mo\* Sculptural cable Single clear pendant,  $\text{Ø}1\frac{1}{2}$  round canopy.
- . 118.3 Sculptural cable Three clear pendants,  $\text{Ø}6$ " round canopy
- . 118.7 Sculptural cable Seven clear pendants,  $\text{Ø}8$ " round canopy
- . 118.13 Sculptural cable Thirteen clear pendants,  $\text{Ø}15\frac{3}{4}$  round canopy
- . 118.19 Sculptural cable Nineteen clear pendants,  $\text{Ø}19\frac{3}{4}$  round canopy
- . 118.37 Sculptural cable Thirty-seven clear pendants,  $\text{Ø}23\frac{5}{8}$  canopy
- . 118.61 Sculptural cable Sixty-one clear pendants,  $\text{Ø}27\frac{7}{8}$  round canopy

## Pendant:


$\pm \text{Ø}5\frac{1}{2} - 6\frac{1}{4}$




$\pm \text{Ø}5\frac{1}{2} - 6\frac{1}{4}$

\*118.1m/mi/mo require a new build/suspended ceiling with remote mounted power supplies.

## Canopies




118.1



118.1 deep




118.1m




118.1mi




118.1mo




118.3




118.7




118.13



118.19



118.37



118.61

## Specifications:



**Mounting:** Ceiling mounted.

**Glass Color:** White.

**Lamp:** 1.5W LED, 2500K, 130lm.

**Coaxial Length:** 118"1/8 standard / up to 1200"3/4 max.

**Adjustable length:** 118.1 - 118.7

**Non-adjustable length:** 118.13 - 118.61

**Cable Finish:** Black or nickel.

**Canopy Finish:** 118.1 - 118.7: white, black or brushed nickel.

118.1mi/mo: white polyurethane. 118.13 - 118.61: white.

**Materials:** Blown glass, braided metal coaxial cable, electrical components, steel canopy.

**Dimming:** Non-dimmable, for dimming option please contact us.

**Power Supply:** Integral.

Bocci recommends remote mounting power supplies for ease of long-term maintenance.

**Environment:** Indoor, dry location. IP30.

**Certifications:** UL Certified.