

Product: Arya Air Hockey Table

COMPONENTS




WOOD

LACQUERED



MATT
15 Gloss
Elegant and never out of style.



SOFT TOUCH
0 Gloss top coat
Very soft and pleasant to touch.



GLOSSY
100 Glossy top coat
Great luminosity and refinement.

AVAILABLE COLORS ON THE NEXT PAGES




WOOD

LACQUERED

MATT



BIANCO



AVORIO



BISCOTTI




HAZELNUT



DESERT TAUPE



LIGHT BROWN





DARK BROWN




PERLA

SOFT TOUCH



GLOSSY



WOOD

LACQUERED

MATT

SOFT TOUCH


GLOSSY




LILAC GREY



TORTORA



DARK TORTORA



ANTRACITE



NERO



WINE



LEATHER

TOP GRAIN LEATHER

Cat. Extra Cat. Soft

Origin: Bulls

Provenance: United Kingdom, France, South Germany

Thickness: 3/64

Grain appearance: smooth aspect, fine grain leather


Bending resistance: >50.000 cycles method UNI EN IS 5402-1

Traction resistance: >16 N/mm² method UNI EN ISO 3376

Flame retardant

Water resistant

Leather protection kit available



GA01 CAT. SOFT



GA04 CAT. SOFT



GA03 CAT. SOFT



GA05 CAT. SOFT



GA08 CAT. SOFT



GA06 CAT. SOFT



BRE667 CAT. SOFT



GA07 CAT. SOFT



GA36 CAT. SOFT



GA02 CAT. SOFT



GA57 CAT. SOFT




GA09 CAT. SOFT



GA10 CAT. SOFT



NUV151 CAT. EXTRA



GA15 CAT. SOFT



GA13 CAT. SOFT



GA14 CAT. SOFT




GA33 CAT. SOFT



GA37 CAT. SOFT



NUV156 CAT. EXTRA



NUV155 CAT. EXTRA



GA39 CAT. SOFT




GA38 CAT. SOFT



NUV160 CAT. EXTRA



BRE620 CAT. SOFT



BRE669 CAT. SOFT



GA21 CAT. SOFT



GA22 CAT. SOFT




GA23 CAT. SOFT



GA24 CAT. SOFT



GA11 CAT. SOFT




GA12 CAT. SOFT




GA16 CAT. SOFT



GA17 CAT. SOFT



GA18 CAT. SOFT



GA19 CAT. SOFT

LEATHER

TOP GRAIN LEATHER

Cat. Extra Cat. Soft

Origin: Bulls

Provenance: United Kingdom, France, South Germany

Thickness: 3/64

Grain appearance: smooth aspect, fine grain leather


Bending resistance: >50.000 cycles method UNI EN IS 5402-1

Traction resistance: >16 N/mm² method UNI EN ISO 3376

Flame retardant

Water resistant


Leather protection kit available



GA20 CAT. SOFT




NUV261 CAT. EXTRA




NUV238 CAT. EXTRA



NUV163 CAT. EXTRA



BRE604 CAT. SOFT



GA35 CAT. SOFT



GA34 CAT. SOFT



GA59 CAT. SOFT



GA53 CAT. SOFT



BRE608



GA52 CAT. SOFT



NUV225 CAT. EXTRA



GA29 CAT. SOFT



NUV164 CAT. EXTRA



NUV126 CAT. EXTRA



NUV128 CAT. EXTRA



GA30 CAT. SOFT



BRE668 CAT. SOFT



GA31 CAT. SOFT



GA32 CAT. SOFT



GA28 CAT. SOFT



GA27 CAT. SOFT




GA26 CAT. SOFT



GA25 CAT. SOFT



GA58 CAT. SOFT



NUV187 CAT. EXTRA



GA40 CAT. SOFT



BRE614 CAT. SOFT



GA51 CAT. SOFT



GA54 CAT. SOFT



GA56 CAT. SOFT




GA55 CAT. SOFT



BRE679 CAT. SOFT



BRE699 CAT. SOFT



BRE606 CAT. SOFT



BRE623 CAT. SOFT

METAL

POLISHED

Cat. A



POLISHED CHROME METAL

Cat. B



POLISHED GOLD METAL