

## DRYLIGHT® IP65 Outdoor Floor Lamp - TL6



### *Description*

Luxury Italian outdoor lighting, inspired by Venetian Tradition. DRYLIGHT® technology with IP65 protection level: Complete safety in any weather conditions.


DRYLIGHT® resolves three problems:


- Protection against water and dust, corrosion resistant;
- Resistance to stress, wind and other impacts;
- Lightness, modularity and easy installation.

Thanks to this technology, it is now possible to fit any outdoor environment with Venetian style chandeliers, with the same safety as a regular outdoor light.


## DRYLIGHT® IP65 Outdoor Floor Lamp

**EXTREME VERSION:**  
polycarbonate  
pendants and prisms







**LINE DRYLIGHT IP65**  
TOTAL PROTECTION AGAINST  
WATER



**WHITE LED LIGHTING  
OR RGBW LED LIGHTING**  
POSSIBILITY TO RECREATE  
COUNTLESS SCENARIO THANKS  
TO RGBW TECHNOLOGY



**COMPATIBLE WITH  
DMX PROTOCOLS**  
SUITABLE FOR THE  
MOST ADVANCED HOME  
AUTOMATION SYSTEMS



**EASY INSTALLATION  
AND LOW MAINTENANCE**  
LIGHTWEIGHT AND READY-FOR-  
USE ARTICLES, NO ASSEMBLY  
REQUIRED

High-end portable outdoor floor lamp with 6 arms. Pendants in methacrylate (DRYLIGHT EXTREME). Lithium ion battery pack. 10 hours of autonomy, 5 hours to recharge. Optional remote control kit (only for RGBW version). Made in Italy.

Two lighting versions are available:

- DRYLIGHT LED W: 6 x LED 18W tot, 960 lm (single diode: 160 lm - 3000K)
- DRYLIGHT LED RGBW: 6 x LED 24W tot, 960 lm

Device Control for DRYLIGHT LED W or DRYLIGHT LED RGBW:

- DMX protocol control kit;
- Smart Light App (Only for RGBW version. Available for Android and iOS);
- Remote control kit (Only for RGBW version). Note: When installed, any other control system is disabled.

### *Finishes and materials*


**Pendants:** Methacrylate.

(For more specifications, please refer to "Finishes & Materials")

## DRYLIGHT® IP65 Outdoor Floor Lamp

### Dimensions

Ø26"3/4 x 47"1/4H




### Optionals

#### Remote Control Kit:

- Driver board;
- Remote control.

Available only for DRYLIGHT LED RGBW version.



#### LIGHT SPECIFICATIONS

Single diode LED RED	50 lm
Single diode LED GREEN	90 lm
Single diode LED BLUE	30 lm
Single diode LED WHITE	100 lm
Composite white light	160 lm

(For more specifications, please refer to "Finishes & Materials")