

28 Stem



Description

The stem cable suspended horizontal and vertical system comes in brass or black stem with a Ø4"5/8 white or black canopy rated for ceiling use.

Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

Standard 28s are made with clear glass exterior spheres and milk white interior lamp holder cavities.

28s are possible with infinite versatility in color compositions, sizes and shapes.

LED lamps and power supplies are included.

Please note: The brass used in our Stem Series is untreated and, as such, will develop a natural patina over time. To avoid any marking or tarnish on the brass during handling and installation, please use the gloves provided in your shipment.

28 Stem

Dimensions

28.3 Stem Suspended Horizontal: 35"3/8 stem length

28.3 Stem Suspended Horizontal: 70"7/8 stem length

28.6 Stem Suspended Horizontal: 70"7/8 stem length

28.6 Stem Suspended Vertical: 70"7/8 stem length


Suspension Cable Length: Adjustable up to 118"1/8 max.

Light source: 1W LED

Pendant




± 6"1/2



28.3 Stem

SUSPENDED HORIZONTAL


three pendant ceiling light,
35"3/8 long with Ø4"5/8
white or black canopy



28.3 Stem

SUSPENDED HORIZONTAL


three pendant ceiling light,
70"7/8 long with Ø4"5/8
white or black canopy



28.6 Stem

SUSPENDED HORIZONTAL

six pendant ceiling light,
70"7/8 long with Ø4"5/8
white or black canopy



28.6 Stem

SUSPENDED VERTICAL

six pendant ceiling light,
70"7/8 long with Ø4"5/8
white or black canopy

Specifications

Mounting: Ceiling mounted.

Glass Color: Clear, colour pendants.

Lamp: 1W LED, 2700K, 100lm.

Finishes: Brass or black powder coated stem.

Materials: Blown glass, brass stem, electrical components.

Power Supply: Integral.

Bocci recommends remote mounting power supplies for ease of long-term maintenance.


Environment: Indoor, dry location. IP20.




28 Stem

28.3 Compositions


Stem Suspension-3A




Stem Suspension-3B



Stem Suspension-L-3A




Stem Suspension-L-3B




28.6 Compositions


Stem Suspension-6A



Stem Suspension-6B



Stem Suspension-V-6A



Stem Suspension-V-6B

