

## Iglù

Design: Oriano Favaretto



### Description

Suspension lamp with metal structure painted with brushed patina and metal mesh diffusers in matt gold.

The Iglù collection is born from observing the perfection of the sphere, transformed into a perfect, recognizable and unique shape by mesh that, rather than obstruct the light, instead creates a pattern of light and shadow, transforming the metal into a luminous jewel. Made in Italy.

### Finishes & Materials


**Structure:** Painted metal.

**Diffusers:** Metal mesh (Painted matt gold).

### Dimensions

**S1 25)** Ø10" x 10"H

**S2)** 22"7/8W x 7"D x 7"H



**Light source (integrated LED lighting):**

**S1 25)** 15,5W • CRI>90 • 3000k • 2100lm • Dimm 0-10V.

**S2)** 19,8W • CRI>90 • 3000k • 2600lm • Dimm 0-10V.

\* For more specifications, please refer to the "Finishes & Materials" PDF

## Iglù

*Design: Oriano Favaretto*



### *Description*

Suspension lamp with metal structure painted with brushed patina and metal mesh diffusers in matt gold.

The Iglù collection is born from observing the perfection of the sphere, transformed into a perfect, recognizable and unique shape by mesh that, rather than obstruct the light, instead creates a pattern of light and shadow, transforming the metal into a luminous jewel. Made in Italy.

### *Finishes & Materials*

**Structure:** Painted metal.

**Diffusers:** Metal mesh (Painted matt gold).


\* For more specifications, please refer to the "Finishes & Materials" PDF

### Dimensions

**S7)** Ø23"5/8 x 59H max.  
**C5 RD 40)** Ø15"3/4 x 59H max.  
**C7 RD 60)** Ø23"5/8 x 59H max.  
**C10 RD 80)** Ø31"1/2 x 59H max.  
**C5 LN 75)** 29"1/2W x 7"7/8D x 59H max.  
**C7 LN 125)** 49"1/4W x 7"7/8D x 59H max.  
**C10 LN 175)** 68"7/8W x 7"7/8D x 59H max.

### Light source (integrated LED lighting):

**S7)** 52,3W • CRI>90 • 3000k • 6700lm • Dimm 0-10V.  
**C5 RD 40)** 27W • CRI>90 • 3000k • 3440lm • Dimm 0-10V.  
**C7 RD 60)** 37,8W • CRI>90 • 3000k • 4816lm • Dimm 0-10V.  
**C10 RD 80)** 50W • CRI>90 • 3000k • 6384lm • Dimm 0-10V.  
**C5 LN 75)** 27W • CRI>90 • 3000k • 3440lm • Dimm 0-10V.  
**C7 LN 125)** 37,8W • CRI>90 • 3000k • 4816lm • Dimm 0-10V.  
**C10 LN 175)** 50W • CRI>90 • 3000k • 6384lm • Dimm 0-10V.



\* For more specifications, please refer to the "Finishes & Materials" PDF