

87



Description

Soda water is used to trap air in a super heated glass matrix, which is vertically stretched and folded back onto itself between pegs numerous times. As the glass cools, the folding motion along the grain of the loop turns the entrapped air into micro-filaments that give the piece a pearlescent optical quality. A low-voltage LED light source is introduced at one end of the loop casting light through the micro-filaments and registering a gentle gradient.⁴ Pendant anchor kit, lamps and power supplies are included.

87.1m requires a new build/suspended ceiling with remote mounted power supplies. Remote mounted power supplies recommended for ease of long term maintenance. Installation to be done by certified personnel to ensure code compliance. Each pendant comes standard with 118"1/8 of coaxial cable. Up-charge applies for lengths over 118"1/8. Cable length can be adjusted on site. White, black or brushed nickel canopy.

Lamp: 1W LED, 2700K, 100lm.

Materials: Blown glass, copper mesh, braided metal coaxial cable, electrical components, steel canopy.

Power Supply: Integral. Remote mounted for 87.1m.

Bocci recommends remote mounting power supplies for ease of long-term maintenance.

Environment: Indoor, dry location. IP30

87


Dimensions

87.1) $\text{Ø}4\frac{5}{8}$ x $1\frac{1}{4}$ "H canopy

87.1 deep) $\text{Ø}4\frac{5}{8}$ x $1\frac{5}{8}$ "H canopy

87.1m) $\text{Ø}1\frac{1}{8}$ canopy

Pendant size: $5\frac{3}{8}$ W x $18\frac{1}{2}$ H



Standard Coaxial Cable Length:

- $118\frac{1}{8}$

Additional Coaxial Cable Lengths:

- $236\frac{1}{4}$
- $354\frac{3}{8}$
- $472\frac{3}{8}$
- $590\frac{1}{2}$
- $708\frac{5}{8}$
- $826\frac{3}{4}$
- $944\frac{7}{8}$
- 1063