

Visio

Design: Nava + Arosio



Description

Painted metal structure. Opal white Murano triplex glass diffuser. LED lighting.

An echo of allusions to the Surrealist world, layers of meaning to be discovered one by one in the many different possible configurations of Visio's facial geometries, an homage to the iconographic apparatus and expressiveness of the face. An aesthetic vocabulary, one of Visio, where the union of mysticism and geometry creates unpredictable variations on the theme of imagination.

Finishes & Materials

Structure: Painted metal.

Diffuser: Murano triplex glass diffusers

Visio

Dimensions


Visio S M1

18"7/8W x 4"3/4D x 10"5/8H

Lighting Source

Led 3000k: 5,5W CRI>90 3000K - 645 nominal LM

Led 2700k: 5,5W CRI>90 2700K - 612 nominal LM




Visio S M4

20"1/2W x 2"D x 7"H

Lighting Source

Led 3000k: 6W CRI>90 3000K - 615 nominal LM

Led 2700k: 6W CRI>90 2700K - 584 nominal LM




Visio S M2

11"W x 4"D x 24"H

Lighting Source

Led 3000k: 5,5W CRI>90 3000K - 645 nominal LM

Led 2700k: 5,5W CRI>90 2700K - 612 nominal LM




Visio C3 M1 RD 60

Ø23"5/8 x 59"H

Lighting Source

Led 3000k: 16,5 W CRI>90 3000 K – 1935 nominal LM

Led 2700k: 16,5 W CRI>90 2700 K – 1838 nominal LM




Visio C3 M2 RD 40

Ø15"3/4 x 59"H

Lighting Source

Led 3000k: 16,5 W CRI>90 3000 K – 1935 nominal LM

Led 2700k: 16,5 W CRI>90 2700 K – 1838 nominal LM



Visio


Dimensions

Visio C5 RD 80
Ø31"1/2 x 59"H

Lighting Source

Led 3000k: 27,5 W CRI>90 3000 K – 3225 nominal LM

Led 2700k: 27,5 W CRI>90 2700 K – 3063 nominal LM



STANDARD CABLES (S M1, S M2, S M4)

