

## Girouette

*Design: Pierre Gonalons*



### *Description*

The Girouette Suspension Lamp is a luminous dance suspended in time, a lightweight sculpture that pays tribute to the elegance and dynamism of 1950s design. Its refined structure is crafted from metal sheets with a cross-satin finish, achieved through expert belt sanding, then nickel-plated in a gold galvanic bath and finally lacquered for a radiant, enduring brilliance.

### *Finishes & Materials*

**Structure:** Metal.

**Diffuser:** Glass.

## Girouette


### Dimensions

**Comp. A:** 25"1/8W x 8"1/4D x 8"1/4H


**Comp. B:** 50"3/4W x 8"1/4D x 8"1/4H

**Comp. C:** Ø38" x 8"1/4H


**Comp. A**



**Comp. B**



**Comp. C**



**TECHNICAL DATA**

13,5 W CRI>  
3000 K – 1458 NOMINAL LM

13,5 W CRI>95  
2700 K – 1392 NOMINAL LM

DIMMABLE 1-10V + PUSH

**TECHNICAL DATA**

27 W CRI>95  
3000 K – 2916 NOMINAL LM

27 W CRI>95  
2700 K – 2784 NOMINAL LM

DIMMABLE 1-10V + PUSH

**TECHNICAL DATA**

36 W CRI>95  
3000 K – 3888 NOMINAL LM

36 W CRI>95  
2700 K – 3712 NOMINAL LM

DIMMABLE 1-10V + PUSH

## Girouette


### Dimensions

Comp. D: Ø43"5/8 x 8"1/4H


Comp. E: Ø60" x 8"1/4H

Comp. F: Ø60" x 34"1/4H


Comp. D



Comp. E



Comp. F



#### TECHNICAL DATA

54 W CRI>95  
3000 K – 5832 NOMINAL LM

54 W CRI>95  
2700 K – 5568 NOMINAL LM

DIMMABLE 1-10V + PUSH

#### TECHNICAL DATA

72 W CRI>95  
3000 K – 7776 NOMINAL LM

72 W CRI>95  
2700 K – 7424 NOMINAL LM

DIMMABLE 1-10V + PUSH

#### TECHNICAL DATA

162 W CRI>95  
3000 K – 17496 NOMINAL LM

162 W CRI>95  
2700 K – 16704 NOMINAL LM

DIMMABLE 1-10V + PUSH