

# Beak Suspension Lamp

*Design: Massimo Tonetto*



## *Description*

The elegant Beak Suspension features an adjustable cylindrical head that directs a focused beam of direct light. The smooth burnished brass finish is enhanced by knurled detailing on the head, adding visual rhythm to the design. Supported by a central rod that emphasizes verticality, it is available in both a standard version and a Flat version with a reduced-thickness canopy. UL Wired Certification.

## *Finishes & Materials*

**Structure:** Metal

## Beak Suspension


---

### Dimensions

Size A: Ø3"1/2 x 43"5/8H

Size B: Ø3"1/8 x 42"1/2H

### Size A: Standard Beak Suspension



**Function:** Ceiling  
**Location:** Interior  
**Light Emission:** Directional light  
**Light Source:** COB LED CLU703  
6W, 724Lm, 700mA  
**CRI:** 90  
**Light Temperature:** 2700K  
**Energy Efficiency:** F  
**Voltage:** 110V  
**Frequency:** 50-60Hz  
**Supply:** Remote Terminal Block  
**IP:** 20

## Beak Suspension


---

### Dimensions

Size A: Ø3"1/2 x 43"5/8H

Size B: Ø3"1/8 x 42"1/2H

### Size B: Flat Beak Suspension



**Function:** Ceiling

**Location:** Interior

**Light Emission:** Directional light

**Light Source:** COB LED CLU703

6W, 724Lm, 700mA

**CRI:** 90

**Light Temperature:** 2700K

**Energy Efficiency:** F

**Voltage:** 110V

**Frequency:** 50-60Hz

**Supply:** Remote Terminal Block

**IP:** 20