

ARBT 02

Design: Norah Creative Lab FM



Description

The ARBT 02 oval bathtub by Norah Design is a masterclass in organic geometry, designed to bring a sense of natural fluidity and sculptural serenity to the high-end wellness space. While maintaining a refined elliptical footprint, the ARBT 02 is distinguished by its specific proportions and softened vertical profile, creating an enveloping "cradle" that maximizes internal comfort for an exceptionally relaxing soak.

Finishes & Materials


Structure: Acrylic.

Cover drain: Acrylic.

ARBT 02




Dimensions

67"3/4W x 28"D x 24"1/4H



Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.


ARBT 02



Siphon and cover

Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

ARBT 02




- * Lever mixer
- * For freestanding tub
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP
- with ceramic discs

- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.000
- Shower hose 1500 mm made of metal Z.538.415.000
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray	22 l/min (3 bar)
A_Shower outlet	11.5 l/min (3 bar)
Spout	fixe
Shower_set	MIT_BRAUSE_SCHLAUCH
Handling	top lever
Color_code	chromeline
Installation_type	Freestanding
Faucet_type	Lever mixer
Measure_Height	908-1004
G_Acoustic group	II
G_Acoustic group_Shower outlet	I
Projection_A	A 215
Energy Label (CH)	C
Dimension Water outlet	790-886
material	Brass



- * Lever mixer
- * For freestanding tub
- * Made of stainless steel
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP

- with ceramic discs
- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.177
- Shower hose 1500 mm made of plastic 26.001.033.177
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray	22 l/min (3 bar)
A_Shower outlet	11.5 l/min (3 bar)
Spout	fixe
Shower_set	
Handling	top lever
Color_code	stainless steel
Installation_type	Freestanding
Faucet_type	Lever mixer
Measure_Height	927-1024
G_Acoustic group	II
G_Acoustic group_Shower outlet	I
Projection_A	A 245
Energy Label (CH)	C
Dimension Water outlet	806-902
material	stainless steel