

CUBT 01

Design: Norah Creative Lab FM



Description

The CUBT 01 rectangular freestanding bathtub by Norah Design is a masterclass in linear geometry, designed to bring a sense of structural clarity and monumental elegance to the modern wellness space. Its clean, right-angled silhouette offers a sophisticated architectural anchor, providing a generous internal volume that maximizes comfort without sacrificing its sharp, contemporary profile.

Finishes & Materials


Structure: Acrylic or marble.

Cover drain: Acrylic.

CUBT 01




Dimensions

67"W x 27"1/2D x 19"5/8H




Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

CUBT 01




Dimension for siphon installation



Siphon and cover

Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

CUBT 01



- * Lever mixer
- * For freestanding tub
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP
- with ceramic discs

- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.000
- Shower hose 1500 mm made of metal Z.538.415.000
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray

22 l/min (3 bar)

A_Shower outlet

11.5 l/min (3 bar)

Spout

fixe

Shower_set

MIT_BRAUSE_SCHLAUCH

Handling

top lever

Color_code

chromeline

Installation_type

Freestanding

Faucet_type

Lever mixer

Measure_Height

908-1004

G_Acoustic group

II

G_Acoustic group Shower outlet

I

Projection_A

A 215

Energy Label (CH)


C

Dimension Water outlet

790-886

material

Brass



- * Lever mixer
- * For freestanding tub
- * Made of stainless steel
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP

- with ceramic discs
- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.177
- Shower hose 1500 mm made of plastic 26.001.033.177
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray

22 l/min (3 bar)

A_Shower outlet

11.5 l/min (3 bar)

Spout

fixe

Shower_set

fixe

Handling

top lever

Color_code

stainless steel

Installation_type

Freestanding

Faucet_type

Lever mixer

Measure_Height

927-1024

G_Acoustic group

II

G_Acoustic group Shower outlet

I

Projection_A

A 245

Energy Label (CH)

C

Dimension Water outlet

806-902

material

stainless steel