

CUBT 02

Design: Norah Creative Lab FM



Description

The CUBT 02 rectangular bathtub by Norah Design is an avant-garde architectural piece that redefines the boundaries between furniture and plumbing fixtures. This model transforms the traditional bathing vessel into a multifunctional living element by integrating an architectural bookcase and shelving system into its exterior profile, inviting a seamless transition between relaxation and intellectual leisure.

Finishes & Materials


Structure: Acrylic.

Cover drain: Acrylic.

CUBT 02

Dimensions





70"7/8W x 40"1/8D x 20"7/8H




Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

CUBT 02

Installation




Dimension for siphon installation



Siphon and cover

Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

CUBT 02



- * Lever mixer
- * For freestanding tub
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP
- with ceramic discs

- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.000
- Shower hose 1500 mm made of metal Z.538.415.000
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray

22 l/min (3 bar)

A_Shower outlet

11.5 l/min (3 bar)

Spout

fixe

Shower_set

MIT_BRAUSE_SCHLAUCH

Handling

top lever

Color_code

chromeline

Installation_type

Freestanding

Faucet_type

Lever mixer

Measure_Height

908-1004

G_Acoustic group

II

G_Acoustic group_Shower outlet

I

Projection_A

A 215

Energy Label (CH)


C

Dimension Water outlet

790-886

material

Brass



- * Lever mixer
- * For freestanding tub
- * Made of stainless steel
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP

- with ceramic discs
- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.177
- Shower hose 1500 mm made of plastic 26.001.033.177
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray

22 l/min (3 bar)

A_Shower outlet

11.5 l/min (3 bar)

Spout

fixe

Shower_set

fixe

Handling

top lever

Color_code

stainless steel

Installation_type

Freestanding

Faucet_type

Lever mixer

Measure_Height

927-1024

G_Acoustic group

II

G_Acoustic group_Shower outlet

I

Projection_A

A 245

Energy Label (CH)

C



Dimension Water outlet

806-902

material

stainless steel

CUBT 02



- * Trim kit Lever mixer
- * EcoProtect - water-saving device
- * Fixed spout
- Neoperf® Caché® CS, Coin Slot
- * OptimalSpace - ample space for washing or working
- * KWC cartridge M 35 H

- with ceramic discs
- flow rate and temperature continuously variable
- * To be ordered separately:
- Unit for concealed installation 1/2" 39.001.401.931
- * To be ordered separately (optional or if necessary):
- Extension set 20 mm Z.536.333

Technical Data

Flow rate	5 l/min (3 bar)
Spout	fixed
Diameter	173 x 74
Handling	front lever
Color code	chrome
Installation_type	Wall mounted
Faucet_typ	Lever mixer
G_Acoustic group	I
Concealed_unit	Trim kit
Projection_A	A 225
Energy Label	A
material	Brass

Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.