

# EYBT 01-02-03-04

*Design: Norah Creative Lab FM*



## *Description*

The EYBT Series (01-02-03-04) by Norah Design represents a definitive evolution in contemporary bathroom aesthetics, offering a range of oval freestanding bathtubs that prioritize fluid geometry and chromatic expression. Designed as a cornerstone of the modern wellness suite, these tubs balance a soft, organic silhouette with the technical precision of the brand's most resilient materials.

## *Finishes & Materials*

**Structure:** Acrylic.

**Cover drain:** Acrylic.

EYBT 01-02-03-04

---


## Dimensions

**Size A (EYBT 01):** 59"W x 25"5/8D x 19"5/8H

**Size B (EYBT 02):** 63"W x 27"1/2D x 19"5/8H


**Size C (EYBT 03):** 67"W x 31"1/2D x 19"5/8H

**Size D (EYBT 04):** 70"7/8W x 31"1/2D x 19"5/8H




Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.


## EYBT 01-02-03-04




**EYBT01**





**EYBT02**




**EYBT03**



**EYBT04**




Dimension for siphon installation



Siphon and cover

Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

EYBT 01-02-03-04




- \* Lever mixer
- \* For freestanding tub
- \* Integrated check valve in the hose outlet
- \* with shower holder
- \* Fixed spout
- Neoperl® SLIM®
- \* KWC cartridge M 35 OP
- with ceramic discs

- flow rate and temperature continuously variable
- temperature limitation
- \* Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.000
- Shower hose 1500 mm made of metal Z.538.415.000
- \* To be ordered separately:
- Unit for concealed installation 39.000.602.931

**Technical Data**

A_Spout_Spray	22 l/min (3 bar)
A_Shower outlet	11.5 l/min (3 bar)
Spout	fixe
Shower_set	MIT_BRAUSE_SCHLAUCH
Handling	top lever
Color_code	chromeline
Installation_type	Freestanding
Faucet_type	Lever mixer
Measure_Height	908-1004
G_Acoustic group	II
G_Acoustic group Shower outlet	I
Projection_A	A 215
Energy Label (CH)	C
Dimension Water outlet	790-886
material	Brass



- \* Lever mixer
- \* For freestanding tub
- \* Made of stainless steel
- \* Integrated check valve in the hose outlet
- \* with shower holder
- \* Fixed spout
- Neoperl® SLIM®
- \* KWC cartridge M 35 OP

- with ceramic discs
- flow rate and temperature continuously variable
- temperature limitation
- \* Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.177
- Shower hose 1500 mm made of plastic 26.001.033.177
- \* To be ordered separately:
- Unit for concealed installation 39.000.602.931

**Technical Data**

A_Spout_Spray	22 l/min (3 bar)
A_Shower outlet	11.5 l/min (3 bar)
Spout	fixe
Shower_set	
Handling	top lever
Color_code	stainless steel
Installation_type	Freestanding
Faucet_type	Lever mixer
Measure_Height	927-1024
G_Acoustic group	II
G_Acoustic group Shower outlet	I
Projection_A	A 245
Energy Label (CH)	C
Dimension Water outlet	806-902
material	stainless steel