

EYBT 05

Design: Norah Creative Lab FM



Description

The EYBT 05 oval bathtub by Norah Design is a definitive expression of organic luxury, designed to transform the bathroom into a high-end wellness sanctuary. Its soft, elongated silhouette offers a sophisticated departure from rigid geometry, providing an ergonomic embrace that invites total relaxation. This freestanding masterpiece serves as a radiant centerpiece, where the boundaries between light, water, and material dissolve into a singular sensory experience.


Finishes & Materials

Structure: Crystal or marble.
Cover drain: Acrylic.

EYBT 05

Dimensions

66"1/2W x 34"1/4D x 20"7/8H






Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.


Cassoni LLC

701 Brickell Avenue, Suite 1550. Miami, FL 33131 Tel: (305) 808 9590 Fax: (305) 808 9591 contact@cassoni.com www.cassoni.com

EYBT 05




Dimension for siphon installation



Siphon and cover

Reference dimensions. You'll receive the installation instructions along with your order. For more information or if you have any questions, please contact us.

EYBT 05




- * Lever mixer
- * For freestanding tub
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP
- with ceramic discs

- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.000
- Shower hose 1500 mm made of metal Z.538.415.000
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray	22 l/min (3 bar)
A_Shower outlet	11.5 l/min (3 bar)
Spout	fixe
Shower_set	MIT_BRAUSE_SCHLAUCH
Handling	top lever
Color_code	chromeline
Installation_type	Freestanding
Faucet_type	Lever mixer
Measure_Height	908-1004
G_Acoustic group	II
G_Acoustic group Shower outlet	I
Projection_A	A 215
Energy Label (CH)	C
Dimension Water outlet	790-886
material	Brass



- * Lever mixer
- * For freestanding tub
- * Made of stainless steel
- * Integrated check valve in the hose outlet
- * with shower holder
- * Fixed spout
- Neoperl® SLIM®
- * KWC cartridge M 35 OP

- with ceramic discs
- flow rate and temperature continuously variable
- temperature limitation
- * Scope of delivery:
- Hand shower KWC FIT-X slim style 26.000.103.177
- Shower hose 1500 mm made of plastic 26.001.033.177
- * To be ordered separately:
- Unit for concealed installation 39.000.602.931

Technical Data

A_Spout_Spray	22 l/min (3 bar)
A_Shower outlet	11.5 l/min (3 bar)
Spout	fixe
Shower_set	
Handling	top lever
Color_code	stainless steel
Installation_type	Freestanding
Faucet_type	Lever mixer
Measure_Height	927-1024
G_Acoustic group	II
G_Acoustic group Shower outlet	I
Projection_A	A 245
Energy Label (CH)	C
Dimension Water outlet	806-902
material	stainless steel