


93 (Medium)



Description

Designed as an expansive constellation of luminous forms, this suspension lamp creates a dramatic sculptural presence that transforms the perception of an interior. The organic textures enclosed within each pendant interact with the warm light, producing layers of depth, reflection, and visual complexity throughout the composition.

Remote mounted power supplies recommended for ease of long term maintenance.
Installation to be done by certified personnel to ensure code compliance.

Longest and shortest lengths are determined by client, please select them from the boxes below. Specified shortest and longest lengths are from the underside of the canopy to the underside of the pendant. Up-charge applies for cable lengths over 118"1/8.

93 (medium)

Dimensions

93.8 - 8 Pendants Configuration:

Rectangular Canopy: 33"1/2W x 11"1/8D

Round Canopy: Ø20"

93.11 - 11 Pendants Configuration:

Rectangular Canopy: 39"3/8W x 14"5/8D

Round Canopy: Ø23"5/8


93.20 - 20 Pendants Configuration:

Rectangular Canopy: 52"W x 17"1/2D

Round Canopy: Ø29"3/4


Square Canopy: 29"3/4W x 29"3/4D

Pendant:




Ø8"


Length Measuring Guide:



93.8 (Rectangular)




93.8 (Round)




93 (medium)


93.11 (Rectangular)




93.11 (Round)




93.20 (Rectangular)



93.20 (Round)



93.20 (Square)



Specifications

Mounting: Pendant suspension.

Lamp: 2W LED - 110-120V - 2700K

Materials: Blown glass, aluminum, braided metal coaxial cable, electrical components, steel canopy

Power Supply: Integral.

Environment: Indoor, dry location. IP30.

